

Ivy 24

Harfenbau - Stielow
2022 / F-Dur

Nr	Note		Mensur mm	Zugkraft kp	Saite		Alternativ		Info Datum
	engl	deu			mm	Material	mm	Material	
2	G6	g'''	112	3,38	0,510	BioCarbon	0,45	Karbon	
3	F6	f'''	127	3,72	0,530	BioCarbon	0,47	Karbon	
4	E6	e'''	142	4,15	0,530	BioCarbon	0,47	Karbon	
5	D6	d'''	152	4,21	0,560	BioCarbon	0,50	Karbon	
6	C6	c'''	162	4,51	0,610	BioCarbon	0,55	Karbon	
7	B5	b''	170	4,61	0,660	BioCarbon	0,60	Karbon	
8	A5	a''	182	4,71	0,660	BioCarbon	0,60	Karbon	
9	G5	g''	192	5,09	0,730	BioCarbon	0,64	Karbon	
10	F5	f''	205	5,39	0,790	BioCarbon	0,69	Karbon	
11	E5	e''	220	5,53	0,790	BioCarbon	0,69	Karbon	
12	D5	d''	235	5,80	0,850	BioCarbon	0,74	Karbon	
13	C5	c''	255	5,81	0,880	BioCarbon	0,77	Karbon	
14	B4	b'	272	6,37	0,970	BioCarbon	0,84	Karbon	
15	A4	a'	292	6,54	0,970	BioCarbon	0,84	Karbon	
16	G4	g'	315	6,95	1,040	BioCarbon	0,91	Karbon	
17	F4	f'	335	7,23	1,120	BioCarbon	0,95	Karbon	
18	E4	e'	360	7,44	1,120	BioCarbon	0,95	Karbon	
19	D4	d'	385	7,75	1,200	BioCarbon	1,05	Karbon	
20	C4	c'	415	8,14	1,280	BioCarbon	1,08	Karbon	
21	B3	b	445	8,38	1,360	BioCarbon	1,16	Karbon	
22	A3	a	475	9,02	1,400	BioCarbon	1,21	Karbon	
23	G3	g	510	9,47	1,500	BioCarbon	1,27	Karbon	
24	F3	f	550	9,95	1,600	BioCarbon	1,36	Karbon	
25	E3	e	595	11,03	1,650	BioCarbon	1,40	Karbon	

Version 1,35 H

158,26 kg Saitenzugkraft

© Harfenbau-Stielow.de

Ersatzsaiten können über diesen Shop bestellt werden:

<https://www.music-strings.de/Sugar-Harfe-Typ-SHN>